

Contents

59 New Cites p1

28 Interventions

16 Associations

4 Methods

9 Reviews

2 Trials

Highlights p5

Editor-in-Chief

David S. Black, PhD, MPH

Highlights by

Seth Segall, PhD

Subscribe at:

goAMRA.org/publications

AMERICAN MINDFULNESS
RESEARCH ASSOCIATION

AMRA
American Mindfulness Research Association

INTERVENTIONS

Articles testing the applied science and implementation of mindfulness-based interventions

Anclair, M., Hjärthag, F., Hiltunen, A. J. (2017). **Cognitive behavioural therapy and mindfulness for health-related quality of life: Comparing treatments for parents of children with chronic conditions-a pilot feasibility study.** *Clinical Practice and Epidemiology in Mental Health.* [\[link\]](#)

Andreotti, E., Antoine, P., Hanafi, M.,...Gottrand, F. (2017). **Pilot mindfulness intervention for children born with esophageal atresia and their parents.** *Journal of Child and Family Studies.* [\[link\]](#)

Boyle, C. C., Stanton, A. L., Ganz, P. A.,...Bower, J. E. (2017). **Improvements in emotion regulation following mindfulness meditation: Effects on depressive symptoms and perceived stress in younger breast cancer survivors.** *Journal of Consulting and Clinical Psychology.* [\[link\]](#)

Cherkin, D. C., Anderson, M. L., Sherman, K. J.,...Turner, J. A. (2017). **Two-year follow-up of a RCT of MBSR vs CBT or usual care for chronic low back pain.** *JAMA.* [\[link\]](#)

Churcher Clarke, A., Chan, J. M., Stott, J.,...Spector, A. (2017). **An adapted mindfulness intervention for people with dementia in care homes: Feasibility pilot study.** *International Journal of Geriatric Psychiatry.* [\[link\]](#)

Cladder-Micus, M. B., van Aalderen, J., Donders, A. R.,...Speckens, A. E. M. (2017). **Cognitive reactivity as outcome and working mechanism of mindfulness-based cognitive therapy for recurrently depressed patients in remission.** *Cognition and Emotion.* [\[link\]](#)

Cohen, J. N., Jensen, D., Stange, J. P.,...Heimberg, R. G. (2017). **The immediate and long-term**

effects of an intensive meditation retreat.

Mindfulness. [\[link\]](#)

Collins, K. R., Stebbing, C., Stritzke, W. G., Page, A. C. (2017). **A brief mindfulness intervention attenuates desire to escape following experimental induction of the interpersonal adversity implicated in suicide risk.**

Mindfulness. [\[link\]](#)

Correia, H. M., Smith, A. D., Murray, S.,...Cake, M. A. (2017). **The impact of a brief embedded mindfulness-based program for veterinary students.** *Journal of Veterinary Medical Education.* [\[link\]](#)

Froeliger, B., Mathew, A. R., McConnell, P. A.,...Garland, E. L. (2017). **Restructuring reward mechanisms in nicotine addiction: A pilot fMRI study of mindfulness-oriented recovery enhancement for cigarette smokers.** *Evidence-Based Complementary and Alternative Medicine.* [\[link\]](#)

Garland, E. L., Howard, M. O., Zubieta, J. K., Froeliger, B. (2017). **Restructuring hedonic dysregulation in chronic pain and prescription opioid misuse: Effects of mindfulness-oriented recovery enhancement on responsiveness to drug cues and natural rewards.** *Psychotherapy and Psychosomatics.* [\[link\]](#)

Glasner-Edwards, S., Mooney, L. J., Ang, A.,...Rawson, R. A. (2017). **Mindfulness based relapse prevention for stimulant dependent adults: A pilot randomized clinical trial.** *Mindfulness.* [\[link\]](#)

Grazzi, L., Sansone, E., Raggi, A.,...Andrasik, F. (2017). **Mindfulness and pharmacological prophylaxis after withdrawal from medication overuse in patients with chronic migraine: An effectiveness trial with a one-year follow-up.** *The Journal of Headache and Pain.* [\[link\]](#)

Hoge, E. A., Bui, E., Palitz, S. A.,...Simon, N. M. (2017). **The effect of mindfulness meditation training on biological acute stress responses in**

Contents

59 New Cites p1

28 Interventions

16 Associations

4 Methods

9 Reviews

2 Trials

Highlights p5

Editor-in-Chief

David S. Black, PhD, MPH

Highlights by

Seth Segall, PhD

Subscribe at:

goAMRA.org/publications

AMERICAN MINDFULNESS
RESEARCH ASSOCIATION

AMRA
American Mindfulness Research Association

generalized anxiety disorder. *Psychiatry Research.* [\[link\]](#)

Hoge, E. A., Guidos, B. M., Mete, M.,...Dutton, M. A. (2017b). **Effects of mindfulness meditation on occupational functioning and health care utilization in individuals with anxiety.** *Journal of Psychosomatic Research.* [\[link\]](#)

Key, B. L., Rowa, K., Bieling, P.,...Pawluk, E. J. (2017). **Mindfulness-based cognitive therapy as an augmentation treatment for obsessive-compulsive disorder.** *Clinical Psychology & Psychotherapy.* [\[link\]](#)

Kiburz, K. M., Allen, T. D., French, K. A. (2017). **Work-family conflict and mindfulness: Investigating the effectiveness of a brief training intervention.** *Journal of Organizational Behavior.* [\[link\]](#)

Kim, J., Kwon, M. (2017). **Effects of mindfulness-based intervention to improve task performance for children with intellectual disabilities.** *Journal of Applied Research in Intellectual Disabilities.* [\[link\]](#)

McDonald, E. G., Saleh, R. R., Lee, T. C. (2017). **Mindfulness-based laboratory reduction: Reducing utilization through trainee-led daily time outs.** *The American Journal of Medicine.* [\[link\]](#)

Miller, C. J., Elder, K., Scavone, A. (2017). **The feasibility of bringing brief mindfulness-based training to the university classroom.** *Mindfulness.* [\[link\]](#)

Mon, M. M., Liabsuetrakul, T., McNeil, E. B., Htut, K. -M. (2017). **Mindfulness-integrated reproductive health package for adolescents with parental HIV infection: A group-randomized controlled trial.** *Vulnerable Children and Youth Studies.* [\[link\]](#)

Nadler, R., Cordy, M., Stengel, J.,...Hayden, E. P. (2017). **A brief mindfulness practice increases self-reported calmness in young children: A pilot study.** *Mindfulness.* [\[link\]](#)

Pagnini, F., Marconi, A., Tagliaferri, A.,...Banfi, P. (2017). **Meditation training for people with amyotrophic lateral sclerosis: A randomized clinical trial.** *European Journal of Neurology.* [\[link\]](#)

Pinto-Gouveia, J., Carvalho, S. A., Palmeira, L.,...Costa, J. (2017). **BEfree: A new psychological program for binge eating that integrates psychoeducation, mindfulness, and compassion.** *Clinical Psychology & Psychotherapy.* [\[link\]](#)

Shoham, A., Goldstein, P., Oren, R.,...Bernstein, A. (2017). **Decentering in the process of cultivating mindfulness: An experience-sampling study in time and context.** *Journal of Consulting and Clinical Psychology.* [\[link\]](#)

Snippe, E., Dziak, J. J., Lanza, S. T.,...Wichers, M. (2017). **The shape of change in perceived stress, negative affect, and stress sensitivity during mindfulness-based stress reduction.** *Mindfulness.* [\[link\]](#)

Sundquist, J., Palmér, K., Johansson, L. M., Sundquist, K. (2017). **The effect of mindfulness group therapy on a broad range of psychiatric symptoms: A randomised controlled trial in primary health care.** *European Psychiatry.* [\[link\]](#)

Vanhuffel, H., Rey, M., Lambert, I.,...Bat-Pitault, F. (2017). **Contribution of mindfulness meditation in cognitive behavioral therapy for insomnia.** *L'Encephale.* [\[link\]](#)

ASSOCIATIONS

Articles examining the correlates and mechanisms of mindfulness

Allen, T. D., Henderson, T. G., Mancini, V. S., French, K. A. (2017). **Mindfulness and meditation practice as moderators of the relationship between age and subjective wellbeing among working adults.** *Mindfulness.* [\[link\]](#)

Carswell, J., Frewen, P. (2017). **Experiences of psychopathology distract from focused**

Contents

59 New Cites p1

28 Interventions

16 Associations

4 Methods

9 Reviews

2 Trials

Highlights p5

Editor-in-Chief

David S. Black, PhD, MPH

Highlights by

Seth Segall, PhD

Subscribe at:

goAMRA.org/publications

AMERICAN MINDFULNESS
RESEARCH ASSOCIATION

AMRA
American Mindfulness Research Association

attention during mindfulness meditation: Assessment in relation to meditation breath attention scores in mental health help-seeking participants. *Mindfulness.* [\[link\]](#)

Cebolla, A. J., Campos, D., Galiana Llinares, L.,...Baños Rivera, R. M. (2017). **Exploring relations among mindfulness facets and various meditation practices: Do they work in different ways?** *Consciousness and Cognition.* [\[link\]](#)

Chan, K. K., Lam, C. B. (2017). **Trait mindfulness attenuates the adverse psychological impact of stigma on parents of children with autism spectrum disorder.** *Mindfulness.* [\[link\]](#)

Curtiss, J., Klemanski, D. H., Andrews, L.,...Hofmann, S. G. (2017). **The conditional process model of mindfulness and emotion regulation: An empirical test.** *Journal of Affective Disorders.* [\[link\]](#)

Gartenschläger, M., Schreckenberger, M., Buchholz, H. G.,...Michal, M. (2017). **Resting brain activity related to dispositional mindfulness: A PET study.** *Mindfulness.* [\[link\]](#)

Haddock, G., Foad, C., Windsor-Shellard, B.,...Adarves-Yorno, I. (2017). **On the attitudinal consequences of being mindful: Links between mindfulness and attitudinal ambivalence.** *Personality and Social Psychology Bulletin.* [\[link\]](#)

Hutchinson, A. D., Charters, M., Prichard, I.,...Wilson, C. (2017). **Understanding maternal dietary choices during pregnancy: The role of social norms and mindful eating.** *Appetite.* [\[link\]](#)

Malis, F. R., Meyer, T., Gross, M. M. (2017). **Effects of an antenatal mindfulness-based childbirth and parenting programme on the postpartum experiences of mothers: A qualitative interview study.** *BMC Pregnancy & Childbirth.* [\[link\]](#)

McArthur, M., Mansfield, C., Matthew, S.,...Hazel, S. (2017). **Resilience in veterinary students**

and the predictive role of mindfulness and self-compassion. *Journal of Veterinary Medical Education.* [\[link\]](#)

Nyklíček, I., Irrmischer, M. (2017). **For whom does MBSR work? Moderating effects of personality.** *Mindfulness.* [\[link\]](#)

Petrides, K. V., Gómez, M. G., Pérez-González, J. -C. (2017). **Pathways into psychopathology: Modeling the effects of trait emotional intelligence, mindfulness, and irrational beliefs in a clinical sample.** *Clinical Psychology & Psychotherapy.* [\[link\]](#)

Sala, M., Levinson, C. A. (2017). **A longitudinal study on the association between facets of mindfulness and disinhibited eating.** *Mindfulness.* [\[link\]](#)

Spinhoven, P., Huijbers, M. J., Ormel, J., Speckens, A. E. (2017). **Improvement of mindfulness skills during mindfulness-based cognitive therapy predicts long-term reductions of neuroticism in persons with recurrent depression in remission.** *Journal of Affective Disorders.* [\[link\]](#)

Spinhoven, P., Huijbers, M. J., Zheng, Y.,...Speckens, A. E. (2017). **Mindfulness facets and big five personality facets in persons with recurrent depression in remission.** *Personality and Individual Differences.* [\[link\]](#)

Tang, Y. Y., Tang, Y., Tang, R., Lewis-Peacock, J. (2017). **Brief mental training reorganizes large-scale networks.** *Frontiers in Systems Neuroscience.* [\[link\]](#)

METHODS

Articles developing empirical procedures to advance the measurement and methodology of mindfulness

Huijbers, M. J., Crane, R. S., Kuyken, W.,...Speckens, A. E. (2017). **Teacher competence in mindfulness-based cognitive therapy for**

Contents

59 New Cites p1

28 Interventions

16 Associations

4 Methods

9 Reviews

2 Trials

Highlights p5

Editor-in-Chief

David S. Black, PhD, MPH

Highlights by

Seth Segall, PhD

Subscribe at:

goAMRA.org/publications

AMERICAN MINDFULNESS
RESEARCH ASSOCIATION

AMRA
American Mindfulness Research Association

depression and its relation to treatment outcome. *Mindfulness.* [\[link\]](#)

Medvedev, O. N., Krägeloh, C. U., Narayanan, A., Siegert, R. J. (2017). **Measuring mindfulness: Applying generalizability theory to distinguish between state and trait.** *Mindfulness.* [\[link\]](#)

Medvedev, O. N., Siegert, R. J., Kersten, P., Krägeloh, C. U. (2017). **Improving the precision of the five-facet mindfulness questionnaire using a rasch approach.** *Mindfulness.* [\[link\]](#)

Rodin, E., Bornfleth, H., Johnson, M. (2017). **DC-EEG recordings of mindfulness.** *Clinical Neurophysiology.* [\[link\]](#)

REVIEWS

Articles reviewing content areas of mindfulness or conducting meta-analyses of published research

Arora, N., Brotto, L. A. (2017). **How does paying attention improve sexual functioning in women? A review of mechanisms.** *Sexual Medicine Reviews.* [\[link\]](#)

Emerson, L. M., Leyland, A., Hudson, K.,...Hugh-Jones, S. (2017). **Teaching mindfulness to teachers: A systematic review and narrative synthesis.** *Mindfulness.* [\[link\]](#)

Fountain-Zaragoza, S., Prakash, R. S. (2017). **Mindfulness training for healthy aging: Impact on attention, well-being, and inflammation.** *Frontiers in Aging Neuroscience.* [\[link\]](#)

Goldstein, K. M., Shepherd-Banigan, M., Coeytaux, R. R.,...Williams, J. W. (2017). **Use of mindfulness, meditation and relaxation to treat vasomotor symptoms.** *Climacteric.* [\[link\]](#)

Hafenbrack, A. C. (2017). **Mindfulness meditation as an on-the-spot workplace**

intervention. *Journal of Business Research.* [\[link\]](#)

Hwang, Y. S., Bartlett, B., Greben, M., Hand, K. (2017). **A systematic review of mindfulness interventions for in-service teachers: A tool to enhance teacher wellbeing and performance.** *Teaching and Teacher Education.* [\[link\]](#)

Isgut, M., Smith, A. K., Reimann, E. S.,...Ryan, J. (2017). **The impact of psychological distress during pregnancy on the developing fetus: Biological mechanisms and the potential benefits of mindfulness interventions.** *Journal of Perinatal Medicine.* [\[link\]](#)

Li, W., Howard, M. O., Garland, E. L.,...Lazar, M. (2017). **Mindfulness treatment for substance misuse: A systematic review and meta-analysis.** *Journal of Substance Abuse Treatment.* [\[link\]](#)

Sanada, K., Díez, M. A., Valero, M. S.,...García-Campayo, J. (2017). **Effects of mindfulness-based interventions on biomarkers in healthy and cancer populations: A systematic review.** *BMC Complementary and Alternative Medicine.* [\[link\]](#)

TRIALS

Research studies newly funded by the National Institutes of Health (FEB 2017)

H. Lee Moffitt Cancer Center (C. Vinci, PI). **Applying mHealth to tobacco-related health disparities: Enhancing aspects of resiliency to aid cessation efforts.** NIH/NIMHD project # 4R00MD010468-03. [\[link\]](#)

University of California, San Francisco (F. Hecht, PI). **Training researchers in clinical integrative medicine.** NIH/NCCIH project #3T32AT003997-10S1. [\[link\]](#)

Contents

59 New Cites p1

28 Interventions

16 Associations

4 Methods

9 Reviews

2 Trials

Highlights p5

Editor-in-Chief

David S. Black, PhD, MPH

Highlights by

Seth Segall, PhD

Subscribe at:

goAMRA.org/publications

AMERICAN MINDFULNESS
RESEARCH ASSOCIATION

AMRA
American Mindfulness Research Association

HIGHLIGHTS

A summary of select studies from the issue, providing a snapshot of some of the latest research

People with generalized anxiety disorder (GAD) suffer from excessive and uncontrollable worry concerning a broad array of everyday matters (work, money, health, relationships, etc.) along with a range of physical symptoms (headache, fatigue, muscle tension, etc.) associated with stress. As a result, people with GAD often miss days at work and tend to use medical and mental health services at a higher rate than the average person. GAD is often treated with medication and psychotherapy, and in recent years, mindfulness-based interventions have been added as an additional treatment alongside more traditional approaches.

In a secondary analysis of a previously published randomized, controlled clinical trial, **Hoge et al. [Journal of Psychosomatic Medicine]** investigated whether Mindfulness-Based Stress Reduction (MBSR) reduced the number of GAD sufferers' missed days at work and the number of their visits to primary care and mental health care professionals to a greater degree than a stress management education (SME) control.

The 57 individuals with GAD (mean age = 39; 56% female; 83% Caucasian) whose data were analyzed in this study were a subset of a larger cohort of individuals with GAD who were randomly assigned to either a standard 8-week MBSR program or an 8-week SME program. The SME program covered topics relevant to stress including time management, nutrition, exercise, and sleep. The subgroup of patients whose data was included in this analysis completed the World Health Organization Health Performance and Work Questionnaire (HPQ) at baseline, after intervention, and at 24-week follow-up. The HPQ is a self-report measure of illness-

related absences from work and visits to primary care and mental health professionals.



At immediate post-intervention, the MBSR group had significantly decreased the number of partial days (from 1.4 days to 0.5 days a month) they had missed employment due to physical or mental health problems, whereas the control group increased (from 0.7 to 1.2 days a month) their partial days of work missed. This between groups difference in partial days missed was no longer significant at 24-week follow-up. There were no significant changes over time, however, in full days of work missed or in health care utilization. The amount of home mindfulness practice MBSR participants engaged in during the follow-up period had associations that trended towards significance with both mental health utilization and partial days of work missed. The more participants practiced, the less they missed partial workdays ($r = -.45$) or visited mental health professionals ($r = -.43$).

The study shows a decrease in partial workdays missed for MBSR participants with GAD, and a tendency for mental health care utilization and partial days missed to decrease with increased mindfulness practice. It lends support to previous research demonstrating the benefits of MBSR for persons with anxiety disorders. Previous studies failed to measure partial workdays missed, but this may be the most sensitive measure of how anxiety disorders impact work performance, as employees with GAD may come late to work, or leave early depending on their mental state. A relatively high dropout rate (19%) for MBSR participants limited power to detect differences at 24-week follow-up.

Mindfulness Research Monthly

Providing monthly research updates on mindfulness

www.goAMRA.org

MAR 2017

Vol. 8 - No. 3

Contents

59 New Cites p1

28 Interventions

16 Associations

4 Methods

9 Reviews

2 Trials

Highlights p5

Editor-in-Chief

David S. Black, PhD, MPH

Highlights by

Seth Segall, PhD

Subscribe at:

goAMRA.org/publications

AMERICAN MINDFULNESS
RESEARCH ASSOCIATION

AMRA
American Mindfulness Research Association

Migraines are disabling headaches lasting from several hours to several days that are characterized by severe, pulsating pain usually localized to one side of the head. Migraine sufferers may also experience nausea and sensitivity to light, sound or smell. Their headaches may also be preceded by visual disturbances (e.g., blind spots and zigzag patterns) that signal their impending onset. Migraines are considered “chronic” when they occur more than 15 days a month over a period of three months. Chronic migraines are often complicated by medication overuse, which tends to make migraines worse and harder to manage. The treatment of chronic migraine complicated by medication overuse is complex, and physicians are interested in behavioral approaches that can either supplement or be used instead of medications.

Grazzi et al. [Journal of Headache and Pain] conducted a non-randomized exploratory clinical trial of a mindfulness-based intervention compared to prescribed medications intended to prevent headache onset for patients with combined chronic migraine and medication overuse.

Patients with chronic migraine and medication overuse who were being treated at a neurology clinic were withdrawn from their medication in a structured day treatment program. At the end of the program, they were invited to participate in a clinical trial of either mindfulness training (MT) or prophylactic medication (MED). A total of 44 patients (average age = 45) were enrolled in the study, and assignment to treatment was self-selected. The MT intervention, based on Mindfulness-Based Stress Reduction, involved six weekly 45-minute small group sessions. MT participants practiced maintaining a non-judgmental, present-moment focus during sitting meditation.

Patients in the MED condition were prescribed medications to take before their headaches began including valproate, botulinum toxin, pizotifen, amitriptyline, and beta blockers. Patients in both groups could take medication for acute headaches (primarily triptans and NSAIDs) once headaches had begun. Participants in both groups completed daily

diaries documenting their headaches and medication use. They also completed self-report measures of headache impact, migraine disability, depression, and anxiety at baseline, and at 3, 6, and 12 months. The researchers also evaluated participants at 3, 6, and 12 months to see whether they had achieved a 50% reduction in headache frequency and whether they still met the diagnostic criteria for chronic migraine.



Headache frequency, medication use, and depression severity significantly decreased for both treatments over time, without significant differences between treatments. Headache-related disability significantly decreased for both groups at 3- and 6-month follow-up, but not at 12 months. Only one measure called the Headache Impact Test, a self-report measure of pain severity, fatigue and mood, showed different treatment outcomes over time. While the MT group's scores on that test didn't change significantly, the MED group's scores significantly improved at 3 months and 12 months, but not at 6 months. There was no difference between treatments at 12 months in terms of those meeting the criteria of a 50% reduction in headache frequency (50% of MT patients and 53% of MED patients) or those no longer meeting chronic migraine diagnostic criteria (65% of MT patients and 74% of MED patients).

The results support a role for mindfulness in the treatment of chronic migraine with medication overuse. The results suggest that mindfulness training may be as effective in reducing headache frequency, depression, headache-related disability, and acute medication use as prescribed medication to prevent headache onset. The study is limited by its lack of random assignment, a placebo control, and measures of adherence to treatment and home practice.